

Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12

Temp An..

-16.13 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12




Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12

Temp An..

-16.13 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12

-16.13 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12

Temp An..

-16.13 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12

Temp An..

-16.13 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12

Temp An..

-16.13 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12

Temp An..

16.13 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12





Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12





Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12

Temp An..

16.13 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12

-16.13 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12

Temp An.. -16.13 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F) -16.13 -10.00

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12

Temp An.. -16.13 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12

Temp An..

-16.13 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12

Temp An.. -16.13 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12





Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12

Temp An.. -16.13 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12

Temp An..

16.13 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12

Temp An..

-16.13 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12

Temp An..

-16.13 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12

-16.13 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12





Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12

-16.13 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12

Temp An..

-16.13 24.12



Temp Anomaly (Deg F)

-16.13 -10.00 0.00 10.00 24.12